


A collection of 94 colours, which are thin, stretchable and opaque films with a matt finish. Dura Press has our highest washability: 95°C for black and white, 80°C for colours, 60°C for metallic and neon colours.

1



Cut the image using a plotter or contour cutter. Only cut the top layer of material and not the clear transfer liner.

NOTE Make sure the image is reversed in your cutting software.

2



Weed away any excess material until the finished image is left on the clear release liner.


This is called 'weeding'

TIP Weeding tweezers make this process quick and easy.


3

Pre-press your textile for 10 seconds to remove any moisture & ensure a flat surface for transfer.

Place the image or design face down onto the garment. Once positioned cover the design using a silicone sheet for protection.



4



Using medium pressure (3-4 bar) press for 15 seconds at 165°C

IF USING A DOMESTIC IRON



Ensure the garment is on a flat surface and is crease free. Firmly & slowly iron over the protective sheet in both vertical and horizontal lines for 15 seconds.

5



Warm Peel


Remove the silicone sheet and peel away the clear transfer liner whilst the material is still warm.

NOTE Leave for 24 hours before washing & stretching.



Application & Wash Care Symbols

www.gmcrafts.co.uk



*The wash temperature stated is for black & white. Other colours in the range may vary. For further details please visit our website.